System Name:	Client Services	Certification Scenario #:	01A
Contract Provider Name:		Legal Entity #:	
Contact Name:		Phone #:	
Email Address:			
Test Scenario Name:	Search_AdmitNew_Create_Get_Update_Get	# of Steps to be Completed:	27

Purpose of Scenario: To demonstrate the ability to search for a non-existing IBHIS client record using the *SearchClient* operation; then create a new client using the *AdmitNewClient* operation. TPs are then asked to submit various information pertinent to the Client by using relevant 'Create' operations; verifying the submitted information via 'Get' operations; subsequently updating information through 'Update' operations and finally confirming updates through the 'Get' operations.

Instructions:

- Please come up with a unique name (e.g. Broken Chair or Jumbo Shrimp) as you search and create the Client record. This will increase the likelihood that your client will not already exist in IBHIS.
- Trading Partners (TP)s are required to submit the values specified in this script unless otherwise noted.
- All items in Red font must be provided and documented in this script by Trading Partners.
- For data elements that do not pertain to your agency, delete the value in the input column and state 'Left Blank'. For example: If your agency doesn't use 'County School' data element and the script is asking to input a value, delete the value and state 'Left Blank'.
- If operations do not apply to your agency (for example 'Pregnancy' related operations), then state it in the script next to the operation name.
- This script is intended for Trading Partners which provide outpatient services. When submitting web service requests, the <Admission24Hour > node should not exist in your submission.
- If your agency does not claim Medicare service skip steps 11 thru 15 and document in the script.

CIA		11	4	
Ste	n	#		
\mathcal{L}	IJ	П	1.	

Operation: SearchClient

Scenario: Searching for a client that does not exist in IBHIS.

Input Data for Operation	Discrepancy Between Input Data and Avatar	Pass/Fail
(To Be Completed by the LEs)	(DMH Use Only)	(DMH Use Only)
Client ID: Leave blank		
Client First Name: (Enter the Client First Name)		
Client Last Name: (Enter the Client Last Name)		
Date of Birth: 1985-10-15		
Social Security Number: Leave blank		
Medical Policy Number: Leave blank		
Gender: F		
Alias: Leave blank		

(Expected Result)

Operation: SearchClient

Output: <*ErrorCode*>0005</*ErrorCode*>

<ErrorDescription>The matching record is not found with the criteria you are looking for. source:

Avatar</ErrorDescription>

Note: When the Client searched does not exists, results will not be returned in the output. Instead the requester will receive a 'Matching Record Not Found' error noted above.

Page | 1 For WSDL v201502

Step # 2:		
Operation: AdmitNewClient		
Scenario: Admitting a new client to IBHIS.		
Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar (DMH Use Only)	Pass/Fail (DMH Use Only)
Client Prefix: Ms		
Client First Name: (Enter the Client First Name)		
Client Middle Initial: A		
Client Last Name: (Enter the Client Last Name)		
Client Suffix: IV		
Alias: (leave blank)		
Email: any@nowhere.com		
Gender: F		
Date of Birth: 1985-10-15		
Social Security Number: 123129876		
Marital Status: Single		
Primary Language: English		
Education: AA		
Employment Status: CW		
Client Other Race: (leave blank)		
Ethnicity: (leave blank)		
Smoking Assessment: (leave blank)		
Smoking Assessment Date: (leave blank)		
Living Arrangements: 1		
Client's Home Phone: 5625551212		
Street Address 1: 123 Some Place Lane		
Street Address 2: Suite 10		
ZIP Code: 90005-0000		
Admission Date: 2014-03-01		
Admission Time: 11:55AM		
Type of Admission: Elective		
Admitting Staff NPI: (Enter the Practitioner NPI)		
(Items in Red Font To Be Completed by the LEs)		
Operation: AdmitNewClient		
IBHIS Acknowledgement: "Client Admission web s	service has been filed successfully."	
IBHIS Client ID:	-	
IBHIS Episode ID: 1		
IBHIS Client Prefix: Ms		
IBHIS Client First Name:		
IBHIS Client Middle Initial: A		
IBHIS Client Last Name:		
IBHIS Client Suffix: IV		

Page | 2 For WSDL v201502

Operation: CreateClientCSI		
Scenario: Creating CSI information for a new client in IE	BHIS.	
Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar (DMH Use Only)	Pass/Fail (DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Birth First Name: (Enter Birth First Name)		
Birth Last Name: (Enter Birth Last Name)		
Birth Middle Name: (Enter Birth Middle Name)		
Mothers First Name: (Enter Mothers First Name)		
Fiscally Responsible County for Client: Los Angeles		
Place of Birth County: (Leave blank)		
Place of Birth State: CA		
Place of Birth Country: US		
Admission Necessity Code: UnknownNotReported		
Conservatorship/Court Status: UnknownNotReported		
Special Population: NoSpecPop		
Legal Class: UnknownNotReported		
County School: (Leave blank)		
Number of Dependents Less than 18 Year Old: 0		
Number of Dependents Over 18 Year Old: 0		
Preferred Language: Q		
CSI Ethnicity: N		
CSI Race: 1		
(Items in Red Font To Be Completed by the LEs)		
Operation: CreateClientCSI		
IBHIS Acknowledgement: "CSI Admission web service	has been filed successfully."	
IBHIS Client ID:		
IBHIS EpisodeID: 1		

Page | 3 For WSDL v201502

Step # 4:			
Operation: GetClientDetails			
•	raphics and CSI information from IBHIS.		
Input Data Element	Values Entered in the Input		
Client ID:	(Enter the Client ID returned in Step #2)		
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy (DMH Use Only)
Client ID:	Client ID returned in Step #2		
Client Prefix:	MS		
Client First Name:	Client First Name entered in Step #2		
Client Middle Initial:	A		
Client Last Name:	Client First Name entered in Step #2		
Client Suffix:	IV		
Email:	any@nowhere.com		
Gender:	F		
Date of Birth:	1985-10-15		
Social Security Number:	123129876		
Marital Status:	Single		
Primary Language:	English		
Education:	AA		
Employment Status:	CW		
StreetAddress1:	123 Some Place Lane		
StreetAddress2:	Suite 10		
City:	LOS ANGELES		
State:	CA		
ZipCode:	90005-0000		
ClientsHomePhone:	5625551212		
Birth First Name:	Birth First Name entered in Step #3		
Birth Last Name:	Birth Last Name entered in Step #3		
Birth Middle Name:	Birth Middle Name entered in Step #3		
Mothers First Name:	Mothers First Name entered in Step #3		
	LosAngeles		
Fiscally Responsible County For Client:	LusAligeles		
Place of Birth State:	CA		
Place of Birth Country:	US		
Preferred Language:	0		
Admission Necessity Code:	UnknownNotReported		
Conservatorship / Court Status:	UnknownNotReported		
Special Population:	NoSpecPop		
Legal Class:	UnknownNotReported		
Number of Dependents Less than 18YO:	0		
Number of Dependents Over 18YO:	0		
CSI Ethnicity:	N		
CSI Race 1:	1		

Page | 4 For WSDL v201502

G. U.F.		
Step # 5:		
Operation: UpdateClientDetails		
Scenario: Updating a Client's Demographics and CSI information.		
Input Data for Operation	Discrepancy Between Input Data	Pass/Fail
(Update the Client's record with the values defined	and Avatar	(DMH Use Only)
below in blue.)	(DMH Use Only)	
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Client Prefix: Mrs		
Client First Name: (Update the Client First Name entered in Step		
#2 by entering a different name)		
Client Middle Initial: M		
Client Last Name: (Update the Client Last Name entered in Step		
#2 by entering a different name)		
Client Suffix: III		
Alias: Butterfly		
Email: Any@nowhere.com		
Gender: F		
Date of Birth: 1985-01-15		
Social Security Number: 123129899		
Marital Status: Married		
Primary Language: English		
Education: BA		
Employment Status: FC		
Client Other Race: UnknownNotReported		
Ethnicity: UnknownNotReported		
Smoking Assessment: NeverSmoked		
Smoking Assessment Date: 2014-03-02		
Clients Home Phone: 5625552121		
Street Address 1: 1234 Some Place Ave		
Street Address 2: Suite 1		
ZIP Code: 90005-4545		
Birth First Name: (Update Birth First Name entered in Step #3 by		
entering a different name)		
Did Y (Y MILE DID Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y		
Birth Last Name: (Update Birth Last Name entered in Step #3 by		
entering a different name)		
D' AL M' I H. Nove a Al Tala D' al M' I H. N		
Birth Middle Name: (Update Birth Middle Name entered in Step		
#3 by entering a different name)		
Mathons Finat Names (Undate Mathons Finat Name antered in Chan		
Mothers First Name: (Update Mothers First Name entered in Step		
#3 by entering a different name)		
Figually Desponsible County for Clients Oronge		
Fiscally Responsible County for Client: Orange		
Place of Birth County: 19		
Place of Birth State: CA		
Place of Birth Country: US		

Page | 5 For WSDL v201502

Step # 5: CONTINUED		
Admission Necessity Code: PlannedPriorAuth		
Conservatorship/Court Status: LPS		
Special Population: NoSpecPop		
Legal Class: Voluntary		
County School: 30056		
Number of Dependents Less than 18 Year Old: 1		
Number of Dependents Over 18 Year Old: 3		
Preferred Language: 7		
CSI Ethnicity: U		
CSI Race 1: 3		
CSI Race 2: 5		
(Items in Red Font To Be Completed by the LEs)		
Operation: UndateClientDetails		

 ${\bf Operation}:\ {\it UpdateClientDetails}$

IBHIS Acknowledgement: "Client Demographics web service has been filed successfully."

IBHIS Client ID:

IBHIS Client First Name:
IBHIS Client Last Name:
IBHIS Client Middle Initial: M
IBHIS Client Prefix: Mrs
IBHIS Client Suffix: III

Page | 6 For WSDL v201502

Step # 6:			
Operation: GetClientDetails			
Scenario: Verifying updates by retrie	eving client demographics and CSI information	on.	
Input Data Element	Values Entered in the Input		
Client ID:	(Enter the Client ID returned in Step		
	#2)		
Ondered Data Element	EA-1 X-1	E-4	C
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy
		Discrepancy	(DMH Use Only)
Client ID:	Client ID returned in Step #2		(Divili esc only)
Client Prefix:	MRS		
Client First Name:	Client First Name entered in Step #5		
Client Middle Initial:	M		
Client Last Name:	Client First Name entered in Step #5		
Client Suffix:	III		
Alias:	Butterfly		
Email:	Any@nowhere.com		
Gender:	F		
Date of Birth:	1985-01-15		
Social Security Number:	123129899		
Marital Status:	Married		
Primary Language:	English		
Education:	BA		
Employment Status:	FC		
Client Other Race:	UnknownNotReported		
Ethnicity:	UnknownNotReported		
Smoking Assessment:	NeverSmoked		
Smoking Assessment Date:	2014-03-02		
StreetAddress1:	1234 Some Place Ave		
StreetAddress2:	Suite 1		
City:	LOS ANGELES		
Cuy: State:	CA CA		
	90005-4545		
ZipCode:			
Clients Home Phone:	5625552121		
Birth First Name:	Birth First Name entered in Step #5		
Birth Last Name:	Birth Last Name entered in Step #5		
Birth Middle Name:	Birth Middle Name entered in Step #5		
Mothers First Name:	Mothers First Name entered in Step #5		
Fiscally Responsible County For Client:	Orange		
Place of Birth County:	19		
Place of Birth State:	CA		
Place of Birth Country:	US		
Preferred Language:	7		
Admission Necessity Code:	PlannedPriorAuth		
Conservatorship / Court Status:	LPS		
Special Population:	NoSpecPop		
Legal Class:	Voluntary		
County School:	30056		

Page | 7 For WSDL v201502

Step # 6: CONTINUED			
Number of Dependents Less than 18YO:	1		
Number of Dependents Over 18YO:	3		
CSI Ethnicity:	U		
CSI Race 1:	3		
CSI Race 2:	5		

Page | 8 For WSDL v201502

Operation: CreateClientFinEligibility		
Scenario: Creating Financial Eligibility for a client with MediCal as the pri	imary guarantor and LA County as the s	econdary
guarantor.	iniary guarantor and 211 county as the s	ceondary
Input Data for Operation	Discrepancy Between Input Data	Pass/Fail
(To Be Completed by the LEs)	and Avatar	(DMH Use
(10 De completeu by the 1218)	(DMH Use Only)	Only)
Client ID: (Enter the Client ID returned in Step #2)	(= 1.1.1.2 0.00 0.1.1.3)	31137
Episode ID: 1		
Guarantor 1		1
Coverage Effective Date: 2014-01-01		
Subscriber Address: 1234 Some Place Ave		
Subscriber Address2: Suite 1		
Subscriber Zip: 90005-4545		
Subscriber Date of Birth: 1985-01-15		
Subscriber Policy Number: 95533888C		
Subscriber Assignment of Benefits: Yes		
Subscriber Release of Information: YesPrvdrHasSigndStmntPrmtRels		
Coordination of Benefits: Yes		
Subscriber Gender: F		
Subscriber Social Security Number: 123129899		
Subscriber First Name: (Enter the Client First Name entered in Step #5)		
Subscriber Last Name: (Enter the Client Last Name entered in Step #5)		
Guarantor Order: 1		
Guarantor: MediCalGuarantor		
ClientsRelationshipToSubscriber: Self		
SubscriberClientIndexNumber: 95533888C		
Guarantor Name: Medi-Cal		
Guarantor 2		
Coverage Effective Date: 2014-01-01		
Subscriber Address: 1234 Some Place Ave		
Subscriber Address2: Suite 1		
Subscriber Zip: 90005-4545		
Subscriber Date of Birth: 1985-01-15		
Subscriber Policy Number: 123129899		
Subscriber Assignment of Benefits: Yes		
Subscriber Release of Information: YesPrvdrHasSigndStmntPrmtRels		
Coordination of Benefits: Yes		
Subscriber Gender: F		
Subscriber Social Security Number: 123129899		
Subscriber First Name: (Enter the Client First Name entered in Step #5)		
Subscriber Last Name: (Enter the Client Last Name entered in Step #5)		
Guarantor Order: 2		
Guarantor: NonMediCalGuarantor		
		
Clients Relationship To Subscriber: Self Guarantor Name: LA County		

Page | 9 For WSDL v201502

Step # 7: CONTINUED...

(Items in Red Font To Be Completed by the LEs)
Operation: CreateClientFinEligibility

IBHIS Acknowledgement: "Financial Eligibility web service has been filed successfully."

IBHIS Client ID: IBHIS Episode ID: 1

> Page | 10 For WSDL v201502

Step # 8:			
Operation: GetClientFinEligibili	tv		
Scenario: Retrieving a Client's Financ			
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Step		
	# 2)		
Episode ID:	1		
Output Data Element	Expected Values	Enter any	Comment for Discrepancy
		Discrepancy	(DMH Use Only)
Client ID:	Client ID returned in Step # 2		
Episode ID:	1		
Guarantor-2			1
Coverage Effective Date:	2014-01-01		
Subscriber First Name:	Name entered in Step # 7		
Subscriber Last Name:	Name entered in Step # 7		
Subscriber Address:	1234 Some Place Ave		
Subscriber Address 2:	Suite 1		
Subscriber Zip:	90005-4545		
Subscriber City:	LOS ANGELES		
Subscriber State:	CA		
Subscriber Date of Birth:	1985-01-15		
Subscriber Policy Number:	123129899		
Subscriber Client Index Number:	9999999C		
Subscriber Assignment of Benefits:	Yes		
Subscriber Release of Information:	YesPrvdrHasSigndStmntPrmtRels		
Coordination of Benefits:	Yes		
Subscriber Social Security Number:	123129899		
Subscriber Gender:	F		
Guarantor Name:	LA County		
Guarantor Order:	2		
Clients Relationship To Subscriber:	Self		
Guarantor-1	Sen		
	2014-01-01		
Coverage Effective Date: Subscriber First Name:	Name entered in Step # 7		+
Subscriber Last Name: Subscriber Last Name:	Name entered in Step # 7 Name entered in Step # 7		
Subscriber Last Name: Subscriber Address:	1234 Some Place Ave		+
Subscriber Address 2:	Suite 1		
Subscriber Zip:	90005-4545		1
-			
Subscriber City:	LOS ANGELES		
Subscriber State:	CA 1985-01-15		
Subscriber Date of Birth:			-
Subscriber Policy Number:	95533888C		
Subscriber Client Index Number:	95533888C		
Subscriber Assignment of Benefits:	Yes		
Subscriber Release of Information:	YesPrvdrHasSigndStmntPrmtRels		
Coordination of Benefits:	Yes		
Subscriber Social Security Number:	123129899		
Subscriber Gender:	F		
Guarantor Name:	Medi-Cal		
Guarantor Order:	1		
Clients Relationship To Subscriber:	Self		

Page | 11 For WSDL v201502

Step # 9:

 $\textbf{Operation:} \ \ Update Client Fin Eligibility$

Scenario: Modifying an existing Client's Financial Eligibility. The Client has a new benefit address (Subscriber Address).

Please update the Financial Eligibility to reflect the new address information.

Note: The existing Guarantor setup/order should remain 'MediCal' as primary and- 'LA County' as the secondary. Note: LA

County guarantor should always be the last guarantor in the Input Data for Operation	Discrepancy Between Input Data and	Pass/Fail
(To Be Completed by the LEs)	Avatar (DMH Use Only)	(DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)	(=	
Episode ID: 1		
Guarantor 1		
Coverage Effective Date: Leave Blank		
Subscriber Address: 1234 Main Street		
Subscriber Address2: Suite 12		
Subscriber Zip: 90005-4545		
Subscriber Date of Birth: Leave Blank		
Subscriber Policy Number: Leave Blank		
Subscriber Assignment of Benefits: Leave Blank		
Subscriber Release of Information: Leave Blank		
Coordination of Benefits: Leave Blank		
Subscriber Gender: Leave Blank		
Subscriber Social Security Number: Leave Blank		
Subscriber First Name: (Enter the Client First Name		
entered in Step #5)		
Subscriber Last Name: (Enter the Client Last Name		
entered in Step #5)		
Guarantor Order: 1		
Guarantor: MediCalGuarantor		
Step # 9: CONTINUED		
ClientsRelationshipToSubscriber: Self		
Subscriber Client Index Number: Leave Blank		
Guarantor Name: Medi-Cal		
Guarantor 2		
Coverage Effective Date: Leave Blank		
Subscriber Address: Leave Blank		
Subscriber Address2: Leave Blank		
Subscriber Zip: Leave Blank		
Subscriber Date of Birth: Leave Blank		
Subscriber Policy Number: Leave Blank		
Subscriber Assignment of Benefits: Leave Blank		
Subscriber Release of Information: Leave Blank		
Coordination of Benefits: Leave Blank		
Subscriber Gender: Leave Blank		
Subscriber Social Security Number: Leave Blank		
Subscriber First Name: (Enter the Client First Name		
entered in Step #5)	1	l

For WSDL v201502 Page | 12

Subscriber Last Name: (Enter the Client Last Name entered in Step #5)	
Guarantor Order: 2	
Guarantor: NonMediCalGuarantor	
ClientsRelationshipToSubscriber: Self	
Guarantor Name: LA County	
(Items in Red Font To Be Completed by the LEs) Operation: UpdateClientFinEligibility	

IBHIS Acknowledgement: "Financial Eligibility web service has been filed successfully."

IBHIS Episode ID: 1

Page | 13 For WSDL v201502

Step # 10:			
Operation: GetClientFinE	Eligibility		
Scenario: Retrieving Financia			
Input Data Element	Value to be entered		
input Data Element	variation by contested		
Client ID:	(Enter the Client ID returned in Step # 2)		
Episode ID:	1		
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy (DMH Use Only)
Client ID:	Client ID returned in Step # 2		
Episode ID:	1		
Guarantor-1			
Coverage Effective Date:	2014-01-01		
Subscriber First Name:	Name entered in Step # 9		
Subscriber Last Name:	Name entered in Step # 9		
Subscriber Address:	1234 Main Street		
Subscriber Address 2:	Suite 12		
Subscriber Zip:	90005-4545		
Subscriber City:	LOS ANGELES		
Subscriber State:	CA		
Subscriber Date of Birth:	1985-01-15		
Subscriber Policy Number:	123129899		
Subscriber Client Index Number:	9999999C		
Subscriber Assignment of Benefits:	Yes		
Subscriber Release of Information:	YesPrvdrHasSigndStmntPrmtRels		
Output Data Element	Expected Values	Enter any	Comment for Discrepancy
		Discrepancy	(DMH Use Only)
Coordination of Benefits:	Yes		
Subscriber Social Security Number:	123129899		
Subscriber Gender:	F		
Guarantor Name:	LA County		
Guarantor Order:	3		
Clients Relationship To Subscriber:	Self		
Guarantor-2			
Coverage Effective Date:	2014-01-01		
Subscriber First Name:	Name entered in Step # 9		
Subscriber Last Name:	Name entered in Step # 9		
Subscriber Address:	1234 Some Place Ave		
Subscriber Address 2:	Suite 1		
Subscriber Zip:	90005-4545		
Subscriber City:	LOS ANGELES		
Subscriber State:	CA		
Subscriber Date of Birth:	1985-01-15		
Subscriber Policy Number:	95533888C		
Substituer I outly Number:	73333000C		1

Page | 14 For WSDL v201502

Step # 10: CONTINUED		
Subscriber Client Index	95533888C	
Number:		
Subscriber Assignment of	Yes	
Benefits:		
Subscriber Release of	YesPrvdrHasSigndStmntPrmtRels	
Information:		
Coordination of Benefits:	Yes	
Subscriber Social Security	123129899	
Number:		
Subscriber Gender:	F	
Guarantor Name:	Medi-Cal	
Guarantor Order:	2	
Clients Relationship To	Self	
Subscriber:		

Page | 15 For WSDL v201502

Step # 11 :

Operation: UpdateClientFinEligibility

Scenario: Modifying an existing Client's Financial Eligibility. The client gains MediCare coverage. Please update the existing Financial Eligibility in order to add the MediCare as the primary guarantor.

Note: The existing Guarantors should remain intact, 'MediCal' should become the secondary and- 'LA County' the tertiary

guarantors. LA County guarantor should always be the last guarantor in the guarantor order. This scenario only applies to Trading Partners which render services to Medicare clients.

Input Data for Operation	Discrepancy Between Input Data and	Pass/Fail
(To Be Completed by the LEs)	Avatar	(DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)	(DMH Use Only)	
Episode ID: 1		
Guarantor 1		1
Coverage Effective Date: 2014-06-01		
Subscriber Address: 1234 Some Place Ave		
Subscriber Address2: Suite 1		
Subscriber Zip: 90005-4545		
Subscriber Date of Birth: (leave blank)		
Subscriber Policy Number: 123129899MCR		
Subscriber Assignment of Benefits: Yes		
Subscriber Release of Information:		
YesPrvdrHasSigndStmntPrmtRels		
Coordination of Benefits: Yes		
Subscriber Gender: F		
Subscriber Social Security Number: 123129899		
Subscriber First Name: (Enter the Client First Name		
entered in Step #5)		
Subscriber Last Name: (Enter the Client Last Name		
entered in Step #5)		
Guarantor Order: 1		
Guarantor: MediCareOHCGuarantor		
Clients Relationship To Subscriber: Self		
Guarantor Name: Medicare		
Guarantor 2		
Coverage Effective Date: Leave Blank		
Subscriber Address: Leave Blank		
Subscriber Address2: Leave Blank		
Subscriber Zip: Leave Blank		
Subscriber Date of Birth: Leave Blank		
Subscriber Policy Number: Leave Blank		
Subscriber Assignment of Benefits: Leave Blank		
Subscriber Release of Information: Leave Blank		
Coordination of Benefits: Leave Blank		
Subscriber Gender: Leave Blank		
Subscriber Social Security Number: Leave Blank		
Subscriber First Name: (Enter the Client First Name		
Substitution 2 to be 1 (and the Chem 1 institution		

Page | 16 For WSDL v201502

Step # 11: CONTINUED	
Note: This scenario only applies to Trading Partners which	render services to Medicare clients.
Subscriber Last Name: (Enter the Client Last Name	
entered in Step #5)	
Guarantor Order: 2	
Guarantor: MediCalGuarantor	
ClientsRelationshipToSubscriber: Self	
Subscriber Client Index Number: Leave Blank	
Guarantor Name: Medi-Cal	
Guarantor 3	
Coverage Effective Date: Leave Blank	
Subscriber Address: Leave Blank	
Subscriber Address2: Leave Blank	
Subscriber Zip: Leave Blank	
Subscriber Date of Birth: Leave Blank	
Subscriber Policy Number: Leave Blank	
Subscriber Assignment of Benefits: Leave Blank	
Subscriber Release of Information: Leave Blank	
Coordination of Benefits: Leave Blank	
Subscriber Gender: Leave Blank	
Subscriber Social Security Number: Leave Blank	
Subscriber First Name: (Enter the Client First Name	
entered in Step #5)	
Subscriber Last Name: (Enter the Client Last Name	
entered in Step #5)	
Guarantor Order: 3	
Guarantor: NonMediCalGuarantor	
ClientsRelationshipToSubscriber: Self	
Guarantor Name: LA County	
(Items in Red Font To Be Completed by the LEs)	
Operation: UpdateClientFinEligibility	
IBHIS Acknowledgement: "Financial Eligibility web service h	as been filed successfully."
IBHIS Client ID:	
IBHIS Episode ID: 1	

Page | 17 For WSDL v201502

Step # 12:

Operation: *UpdateClientGuarantorPlanDetails*

Scenario: When creating or updating a financial eligibility, IBHIS creates default guarantor plan levels. The initial plan level start date is a default of 2000-01-01. As clients lose third party benefits, plan levels must be end dated in IBHIS to reflect loss of coverage. In this step Trading Partners will end Medicare coverage by establishing a level end date. Please update the default plan level to reflect a Benefit Level End Date of 03/31/2014.

Note: This scenario only applies to Trading Partners which render services to Medicare clients.

Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar (DMH Use Only)	Pass/Fail (DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Guarantor Name: Medicare		
Guarantor Benefit Level End Date: 2014-03-31		
PlanUniqueLevelNumber: 2		

(Items in Red Font To Be Completed by the LEs) Operation: UpdateClientGuarantorPlanDetails

IBHIS Acknowledgement: "Customize Plan Details web service has been filed successfully."

IBHIS Client ID: IBHIS Episode ID: 1

IBHIS Guarantor Name: Medicare **IBHIS PlanUniqueLevelNumber:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01 IBHIS Guarantor Benefit Level End Date: 2014-03-31

IBHIS Guarantor Name: Medi-Cal **IBHIS PlanUniqueLevelNumber:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01

IBHIS Guarantor Name: LA County **IBHIS Plan Unique Level Number:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01

Step # 13:			
Operation: GetClientGuarantorPla	nDetails		
Scenario: Retrieving updated guarantor	plan detail submissions.		
	•		
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Step #		
	2)		
Episode ID:	1		
Guarantor Name:	Medicare		
Output Data Element	Expected Values	Enter any	Comment for Discrepancy
•		Discrepancy	(DMH Use Only)
Client ID:	Client ID returned in Step # 2		
Step # 15: CONTINUED			
Note: This scenario only applies to Tra	ading Partners which render services to l	Medicare clients	•
Episode ID:	1		
Guarantor Name:	Medicare		
Plan Unique Level Number:	1		

Page | 18 For WSDL v201502

Guarantor Benefit Level Start Date:	2000-01-01	
Guarantor Benefit Level End Date:	2014-03-31	

Step # 14:

Operation: CreateClientGuarantorPlanDetails

Scenario: Creating new guarantor plan levels will establish new coverage periods for third party benefits. In the prior step the client loses MediCare coverage. Trading Partners established a coverage period end date by establishing a level end date. In order for a client to re-establish coverage in IBHIS, Trading Partners must submit a guarantor plan entry to establish a new level start date. Please create a level start date with the date client regained coverage.

Note: This scenario only applies to Trading Partners which render services to Medicare clients.

Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar (DMH Use Only)	Pass/Fail (DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Guarantor Name: Medicare		
Guarantor Benefit Level End Date: (leave blank)		
Guarantor Benefit Level Start Date: 2014-06-01		

(Items in Red Font To Be Completed by the LEs)
Operation: CreateClientGuarantorPlanDetails

IBHIS Acknowledgement: "Customize Plan Details web service has been filed successfully."

IBHIS Client ID: IBHIS Episode ID: 1

IBHIS Guarantor Name: Medicare **IBHIS PlanUniqueLevelNumber:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01 IBHIS Guarantor Benefit Level End Date: 2014-03-31

IBHIS Plan Unique Level Number: 2

IBHIS Guarantor Benefit Level Start Date: 2014-06-01

IBHIS Guarantor Name: Medi-Cal **IBHIS PlanUniqueLevelNumber:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01

IBHIS Guarantor Name: LA County **IBHIS Plan Unique Level Number:** 1

IBHIS Guarantor Benefit Level Start Date: 2000-01-01

Step # 15:			
Operation: GetClientGuarantorPla	nDetails		
Scenario: Retrieving updated guarantor p	olan detail submissions.		
Note: This scenario only applies to Tra	ding Partners which render services to I	Medicare clients.	
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Step #		
	2)		
Episode ID:	1		
Guarantor Name:	Medicare		
Output Data Element	Expected Values	Enter any	Comment for Discrepancy
		Discrepancy	(DMH Use Only)
Client ID:	Client ID returned in Step # 2		
Episode ID:	1		

Page | 19 For WSDL v201502

Guarantor Name:	Medicare		
Plan Unique Level Number:	1		
Guarantor Benefit Level Start Date:	2000-01-01		
Step # 13: CONTINUED			
Note: This scenario only applies to Tra	ading Partners which render services to I	Medicare clients	
Plan Unique Level Number:	2		

Page | 20 For WSDL v201502

Step # 16:

Operation: CreateClientDiagnosis

Scenario: Creating a diagnosis record for the client in IBHIS. The submission must contain one Primary, one Secondary and one

Tertiary diagnosis.

Input Data for Operation	Discrepancy Between Input	Pass/Fail
(To Be Completed by the LEs)	Data and Avatar (DMH Use Only)	(DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Date of Diagnosis: 2014-03-01		
Type of Diagnosis: Admission		
Trauma: Unknown		
General Medical Condition Summary Code: UnknownNotReported		
Substance Abuse / Dependence: Yes		
Substance Abuse / Dependence Diagnosis: F10.120		
Primary Diagnosis:		
Diagnosing Staff NPI:		
Diagnosis Billing Order: 1		
Status: Active		
Diagnosis Ranking: DiagnosisRankingPrimaryType		
Ranking: Primary		
<i>ICD10Code</i> : F03.91		
Secondary Diagnosis:		
Diagnosing Staff NPI:		
Diagnosis Billing Order: 2		
Status: Active		
Diagnosis Ranking: DiagnosisRankingNonPrimaryType		
Ranking: Secondary		
<i>ICD10Code</i> : F01.50		
Tertiary Diagnosis:		
Diagnosing Staff NPI:		
Diagnosis Billing Order: 3		
Status: Working		
Diagnosis Ranking: DiagnosisRankingNonPrimaryType		
Ranking: Tertiary		
ICD10Code: Z91.49		

(Items in Red Font To Be Completed by the LEs)

Operation: CreateClientDiagnosis

IBHIS Acknowledgement: "Client Diagnosis web service has been filed successfully."

IBHIS Client ID:

IBHIS DiagnosisUniqueID:

IBHIS DiagnosisCodeEntryRowID: IBHIS DiagnosisRanking: Primary

IBHIS ICD10Code: F03.91 **IBHIS DiagnosisStatus:** Active

IBHIS DiagnosisCodeEntryRowID: IBHIS DiagnosisRanking: Secondary

IBHIS ICD10Code: F01.50 IBHIS DiagnosisStatus: Active IBHIS DiagnosisCodeEntryRowID:

IBHIS DiagnosisRanking: Tertiary

IBHIS ICD10Code: Z91.49 IBHIS DiagnosisStatus: Working

Step # 17:			
Operation: GetClientDiagno			
Scenario: Retrieving detailed dia			T
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Step # 2)		
Episode ID:	1		
Output Data Element	Expected Values	Enter any	Comment for Discrepancy
Output Data Element	Expected values	Discrepancy	(DMH Use Only)
Client ID:	Client ID entered in Step #2		(= ===== ==============================
Episode ID:	1		
Episode Program ID:	Contract Provider's Program ID		
Diagnosis Unique ID:	This should be the same value returned in the		
	output of CreateClientDiagnosis		
Date of Diagnosis:	2014-03-01		
Type of Diagnosis	Admission		
Trauma:	Unknown		
General Medical Condition	UnknownNotReported		
Summary Code:	-		
Substance Abuse Dependence:	Yes		
Substance Abuse Dependence	F10.120		
Diagnosis:			
DiagnosisCodeEntryRowID:	This should be the same value returned in the		
	output of CreateClientDiagnosis for		
D'accession Caree NDI	Primary Diagnosis Practitioner NPI entered in		
Diagnosing Staff NPI:	CreateClientDiagnosis for Primary		
	Diagnosis		
Diagnosis Status:	Active		
Diagnosis Ranking:	Primary		
Diagnosis Billing Order:	1		
ICD 10 Code:	F03.91		
DiagnosisCodeEntryRowID:	This should be the same value returned in the		
Zagnosis Couchin ynonib.	output of CreateClientDiagnosis for		
	Secondary Diagnosis		
Diagnosing Staff NPI:	Practitioner NPI entered in		
-	CreateClientDiagnosis for Secondary		
	Diagnosis		
Diagnosis Status:	Active		
Diagnosis Ranking:	Secondary		
Diagnosis Billing Order:	2		
ICD 10 Code:	F01.50		
DiagnosisCodeEntryRowID:	This should be the same value returned in the		
	output of CreateClientDiagnosis for Tertiary		
D'	Diagnosis		
Diagnosing Staff NPI:	Practitioner NPI entered in		
	CreateClientDiagnosis for Tertiary Diagnosis		
Diagnosis Status:	Working		
Diagnosis Ranking:	Tertiary		
Dagnosis Running.	1 Orthur y		1

Page | 22 For WSDL v201502

Diagnosis Billing Order:	3	
ICD 10 Code:	Z91.49	

Page | 23 For WSDL v201502

Step # 18:		
Operation: UpdateClientDiagnosis		
Scenario: Updating an existing diagnosis to correct errors.		
Input Data for Operation	Discrepancy Between Input	Pass/Fail
(To Be Completed by the LEs)	Data and Avatar	(DMH Use
(Update the Client's record with the values defined below in	(DMH Use Only)	Only)
	(= ==== = = = = = = = = = = = = = = = =	2 1113/
blue.) Client ID: (Enter the Client ID returned in Step #2)		
Cuent ID: (Enter the Chent ID returned in Step #2)		
Episode ID: 1		
DiagnosisUniqueID: Enter the DiagnsosisUniqueID returned in		
GetClientDiagnosis		
Type of Diagnosis: Admission		
Trauma: No		
General Medical Condition Summary Code: HeartDis		
Substance Abuse / Dependence: Yes		
Substance Abuse / Dependence Diagnosis: F18.94		
Diagnosis Code Entry Row ID: Enter the DiagnosisCodeEntryRowID		
returned for Primary diagnosis in GetClientDiagnosis		
Diagnosing Staff NPI:		
Diagnosis Billing Order: 1		
Diagnosis Status: DiagnosisStatusType		
Status: Active		
Diagnosis Ranking: DiagnosisRankingPrimaryType		
Ranking: Primary		
ICD10Code: F03.90		
Diagnosis Code Entry Row ID: Enter the DiagnosisCodeEntryRowID		
returned for Secondary diagnosis in GetClientDiagnosis		
Diagnosing Staff NPI:		
Diagnosis Billing Order: 2		
Diagnosis Status: DiagnosisStatusType		
Status: Working		
Diagnosis Ranking: DiagnosisRankingNonPrimaryType		
Ranking: Secondary		
ICD10Code: F04		
(Items in Red Font To Be Completed by the LEs)		
Operation: UpdateClientDiagnosis		
IBHIS Acknowledgement: "Client Diagnosis web service has been filed succe	essfully "	
IBHIS Client ID:	ossiumy.	
IBHIS DiagnosisUniqueID:		
IBHIS DiagnosisCodeEntryRowID:		
IBHIS DiagnosisStatus: Active		
IBHIS DiagnosisRanking: Primary		
IBHIS ICD10Code: F03.90		
IBHIS DiagnosisCodeEntryRowID:		
IBHIS DiagnosisStatus: Working		
IBHIS DiagnosisRanking: Secondary		
IBHIS ICD10Code: F04		
IBHIS DiagnosisCodeEntryRowID:		
IBHIS DiagnosisStatus: Working		
IBHIS DiagnosisRanking: Tertiary		
IBHIS ICD10Code: Z91.49		

Page | 24 For WSDL v201502

Step # 19:			
-			
Operation: GetClientDiagno			
Scenario: Verifying diagnosis s	Value to be entered	1	
Input Data Element	value to be entered		
Client ID:	(Enter the Client ID returned in Step # 2)		
Episode ID:	1		
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy (DMH Use Only)
Client ID:	Client ID entered in Step #2		
Episode ID:	1		
Episode Program ID:	Contract Provider's Program ID		
Diagnosis Unique ID:	This should be the same value returned in the output of UpdateClientDiagnosis		
Date of Diagnosis:	2014-03-01		
Type of Diagnosis	Admission		
Trauma:	No		
General Medical Condition Summary Code:	HeartDis		
Substance Abuse Dependence:	Yes		
Substance Abuse Dependence	F18.94		
Diagnosis:			
DiagnosisCodeEntryRowID:	This should be the same value returned in the output of UpdateClientDiagnosis for Primary Diagnosis		
Diagnosing Staff NPI:	Practitioner NPI entered in UpdateClientDiagnosis for Primary Diagnosis		
Diagnosis Status:	Active		
Diagnosis Ranking:	Primary		
Diagnosis Billing Order:	1		
ICD 10 Code:	F03.90		
DiagnosisCodeEntryRowID:	This should be the same value returned in the output of UpdateClientDiagnosis for Secondary Diagnosis		
Diagnosing Staff NPI:	Practitioner NPI entered in UpdateClientDiagnosis for Secondary Diagnosis		
Diagnosis Status:	Working		
Diagnosis Ranking:	Secondary		
Diagnosis Billing Order:	2		
ICD 10 Code:	F03.90		
DiagnosisCodeEntryRowID:	This should be the same value returned in the output of UpdateClientDiagnosis for Tertiary Diagnosis		
Diagnosing Staff NPI:	Practitioner NPI entered in UpdateClientDiagnosis for Tertiary Diagnosis		
Diagnosis Status:	Working		
Diagnosis Ranking:	Tertiary		
Diagnosis Billing Order:	3		
ICD 10 Code:	Z91.49		

Page | 25 For WSDL v201502

Innut Data for One
Scenario: Creating an UMDAP entry.
Operation: CreateClientUMDAP
Step # 20:

Scenario: Creating an UMDAP entry.		
Input Data for Operation	Discrepancy Between Input	Pass/Fail
(To Be Completed by the LEs)	Data and Avatar (DMH Use Only)	(DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)	(DMH Use Only)	
Number of Dependents Upon Income: 1		
Adjusted Monthly Income: 2600		
Annual Liability: 1200		
Responsible Person: Self		
Client Note: (Leave blank)		
Annual Charge Period: 2014-03-01		

(Items in Red Font To Be Completed by the LEs)

Operation: CreateClientUMDAP

IBHIS Acknowledgement: "Client Additional UMDAP web service has been filed successfully."

IBHIS Client ID:

IBHIS ClientAdditionalUMDAPUniqueID:

Step # 21:			
Operation: GetClientUMDA			
Scenario: Retrieving a client's	UMDAP information.		
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Step # 2)		
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy (DMH Use Only)
Client ID:	Same as Client ID entered above		
Client Responsible Legal	Should be the Contract Provider's		
Entity:	ProgramID		
Annual Charge Period:	2014-03-01		
Number of Dependents upon	1		
Income:			
Adjusted Monthly Income:	2600		
Annual Liability:	1200		
Responsible Person:	Self		
Client Note:	This data attribute will not be returned		
	since it was left blank in the		
	CreateClientUMDAP		
Record Creation Date:	This will be the date when		
	CreateClientUMDAP call was made.		
Client Additional UMDAP	Same		
Unique ID:	ClientAdditionalUMDAPUniqueID		
	returned in CreateClientUMDAP		
	output.		

Page | 26 For WSDL v201502

Step # 22:

Operation: UpdateClientUMDAP

Discrepancy Between Input	Pass/Fail
Data and Avatar	(DMH Use Only
(DMH Use Only	
	Data and Avatar

(Items in Red Font To Be Completed by the LEs)

Operation: *UpdateClientUMDAP*

IBHIS Acknowledgement: "Client Additional UMDAP web service has been filed successfully."

IBHIS Client ID:

IBHIS ClientAdditionalUMDAPUniqueID:

Step # 23:			
Operation: GetClientUMD	A DD atails		
_			
Scenario: Verifying UMDAP s			
Input Data Element	Value to be entered		
Client ID:	(Enter the Client ID returned in Stan #		
Cuent ID:	(Enter the Client ID returned in Step #		
0.4.40.45	2)	T. 4	C 46 D
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy (DMH Use Only)
Client ID:	Same as Client ID entered above		
Client Responsible Legal	Should be the Contract Provider's		
Entity:	ProgramID		
Annual Charge Period:	2014-03-01		
Number of Dependents upon	2		
Income:			
Adjusted Monthly Income:	5000		
Annual Liability:	10000		
Responsible Person:	Self		
Client Note:	The annual liability is \$10,000.		
Record Creation Date:	This will be the date when		
	CreateClientUMDAP call was made.		
Client Additional UMDAP	Same		
Unique ID:	ClientAdditionalUMDAPUniqueID		
	returned in UpdateClientUMDAP		
	output.		

Page | 27

Step # 24:

Operation: *CreateClientPregnancy* **Scenario:** Creating a Pregnancy record.

Note: This scenario only applies to Trading Partners which render services to female clients.

Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar (DMH Use Only)	Pass/Fail (DMH Use Only)
Client ID: (Enter the Client ID returned in Step #2)		
Episode ID: 1		
Pregnancy Start Date: 2013-09-01		
Pregnancy End Date: (Leave blank)		

(Items in Red Font To Be Completed by the LEs)

Operation: CreateClientPregnancy

IBHIS Acknowledgement: "Client Pregnancy web service has been filed successfully."

IBHIS Client ID:

IBHIS ClientPregnancyUniqueID:

Step # 25:				
Operation: GetClientPregne	ancyDetails			
Scenario: Verifying Pregnancy	submissions.			
Note: This scenario only applies	to Trading Partners which render services	s to female clients.		
Input Data Element	Value to be entered			
Client ID:	Enter the Client ID returned in Step #			
	2			
Episode ID:	1			
Output Data Element	Expected Values	Enter any Discrepancy	Comment for	
			Discrepancy	
			(DMH Use Only)	
Client ID:	Should be the same as Client ID			
	entered above			
Pregnancy Start Date:	2013-09-01			
Pregnancy End Date:	This data attribute will not be			
	returned since it was left blank in the			
CreateClientPregnancy.				
Client Pregnancy Unique ID:	Should be the same ID returned in the			

Page | 28 For WSDL v201502

Step # 26:		
Operation: UpdateClientPregnancy		
Scenario: Updating an existing Pregnancy entry.		
Note: This scenario only applies to Trading Partners which render service	es to female clients.	
Input Data for Operation (To Be Completed by the LEs)	Discrepancy Between Input Data and Avatar	Pass/Fail (DMH Use Only)
(Update the Client's record with the values defined below	(DMH Use Only)	
in blue.)		
Client ID: (Enter the Client ID returned in Step # 2)		
Episode ID: 1		
Pregnancy Start Date: 2013-09-01		
Pregnancy End Date: 2014-06-01		
Client Pregnancy Unique ID: (Enter the ClientPregnancyUniqueID		
returned in the output of CreateClientPregnancy.)		
(Items in Red Font To Be Completed by the LEs)		
Operation: UpdateClientPregnancy	1 6.11 "	
IBHIS Acknowledgement: "Client Pregnancy web service has been file IBHIS Client ID:	d successfully."	
IBHIS ClientPregnancyUniqueID:		
IDITIO CHERT TEGRIARCY UNIQUEID.		
Step # 27:		
Operation: GetClientPregnancyDetails		

Step # 27:					
Operation: GetClientPregnancyDetails					
Scenario: Verifying Pregnancy submissions.					
Note: This scenario only applies to Trading Partners which render services to female clients.					
Input Data Element	Value to be entered				
Client ID:	Enter the Client ID returned in Step #				
	2				
Episode ID:	1				
Output Data Element	Expected Values	Enter any Discrepancy	Comment for		
Output Data Element	Expected Values	Enter any Discrepancy	Comment for Discrepancy		
Output Data Element	Expected Values	Enter any Discrepancy			
Output Data Element Client ID:	Expected Values Should be the same as Client ID	Enter any Discrepancy	Discrepancy		
•	-	Enter any Discrepancy	Discrepancy		
•	Should be the same as Client ID	Enter any Discrepancy	Discrepancy		
Client ID:	Should be the same as Client ID entered above.	Enter any Discrepancy	Discrepancy		
Client ID: Pregnancy Start Date:	Should be the same as Client ID entered above. 2013-09-01	Enter any Discrepancy	Discrepancy		

Page | 29 For WSDL v201502